



## SAFETY DATA SHEET

2WORK THICK BLEACH

Page: 1

Compilation date: 01/08/2008

Revision date: 11/05/2015

Revision No: 5

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: 2WORK THICK BLEACH

Product code: 2W03977

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC8: Biocidal products (e.g. Disinfectants, pest control).

#### 1.3. Details of the supplier of the safety data sheet

Company name: INTERACTION-CONNECT SA  
54 BLVD NAPOLEON IER  
L-2210 LUXEMBOURG

Tel: +32 93808248

Email: WWW.OPINFO.NET

#### 1.4. Emergency telephone number

Emergency tel: NHS Direct 08454647

NHS24 0845242424

ROI 018092166

(office hours only)

### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314; Aquatic Acute 1: H400; -: EUH031

Most important adverse effects: Contact with acids liberates toxic gas. Causes severe skin burns and eye damage. Very toxic to aquatic life.

#### 2.2. Label elements

Label elements:

Hazard statements: EUH031: Contact with acids liberates toxic gas.  
H314: Causes severe skin burns and eye damage.  
H400: Very toxic to aquatic life.

[cont...]

# SAFETY DATA SHEET

2WORK THICK BLEACH

Page: 2

**Signal words:** Danger

**Hazard pictograms:** GHS05: Corrosion

GHS09: Environmental



**Precautionary statements:** P102: Keep out of reach of children.

P282: Wear eye protection.

P280: Wear protective gloves.

P264: Wash hands thoroughly after handling.

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P314: Get medical attention if you feel unwell.

P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.

P332+313: If skin irritation occurs: Get medical attention.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical attention.

P362: Take off contaminated clothing and wash before reuse.

## 2.3. Other hazards

**Other hazards:** Contact with acids liberates toxic gas.

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

SODIUM HYPOCHLORITE SOLUTION CL ACTIVE

| EINECS    | CAS       | PBT / WEL | CLP Classification                                    | Percent |
|-----------|-----------|-----------|-------------------------------------------------------|---------|
| 231-668-3 | 7681-52-9 | -         | Skin Corr. 1B: H314; Aquatic Acute 1: H400; -: EUH031 | 1-10%   |

DODECYLDIMETHYLAMINE OXIDE

|           |           |   |                                                                                  |       |
|-----------|-----------|---|----------------------------------------------------------------------------------|-------|
| 216-700-6 | 1643-20-5 | - | Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400 | 1-10% |
|-----------|-----------|---|----------------------------------------------------------------------------------|-------|

[cont...]

# SAFETY DATA SHEET

2WORK THICK BLEACH

Page: 3

ALCOHOLS C12-C14, ETHOXYLATED, SULPHATED, SODIUM SALTS

|   |            |   |                                                                   |       |
|---|------------|---|-------------------------------------------------------------------|-------|
| - | 68891-38-3 | - | Eye Dam. 1: H318; Skin Irrit. 2: H315;<br>Aquatic Chronic 3: H412 | 1-10% |
|---|------------|---|-------------------------------------------------------------------|-------|

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Water.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

[cont...]

# SAFETY DATA SHEET

2WORK THICK BLEACH

Page: 4

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Polyethylene.

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Hazardous ingredients:**

**SODIUM HYPOCHLORITE SOLUTION...100% CL ACTIVE**

**Workplace exposure limits:**

**Respirable dust**

| State | 8 hour TWA           | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|-------|----------------------|--------------|------------|--------------|
| UK    | 1.5mg/m <sup>3</sup> | -            | -          | -            |

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

[cont...]

# SAFETY DATA SHEET

2WORK THICK BLEACH

Page: 5

## 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Hand protection:** Impermeable gloves. Rubber gloves. Gloves (alkali-resistant).

**Eye protection:** Safety glasses with side-shields. Ensure eye bath is to hand.

**Skin protection:** Alkali resistant protective clothing.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Pale yellow

**Odour:** Characteristic odour

**Evaporation rate:** Moderate

**Oxidising:** Oxidising (by EC criteria)

**Solubility in water:** Soluble

**Viscosity:** Viscous

**Boiling point/range°C:** 100

**Melting point/range°C:** 0

**Flammability limits %: lower:** Not applicable.

**upper:** Not applicable.

**Flash point°C:** Not applicable.

**Part.coeff. n-octanol/water:** Not applicable.

**Autoflammability°C:** Not applicable.

**Vapour pressure:** Not applicable.

**Relative density:** 1.05 - 1.15

**pH:** 12.5

**VOC g/l:** 0

### 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

### 10.4. Conditions to avoid

### 10.5. Incompatible materials

**Materials to avoid:** Acids.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

[cont...]

# SAFETY DATA SHEET

2WORK THICK BLEACH

Page: 6

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Hazardous ingredients:**

**SODIUM HYPOCHLORITE SOLUTION...100% CL ACTIVE**

|     |     |      |     |       |
|-----|-----|------|-----|-------|
| ORL | RAT | LD50 | 750 | mg/kg |
|-----|-----|------|-----|-------|

**ALCOHOLS C12-C14, ETHOXYLATED, SULPHATED, SODIUM SALTS**

|     |     |      |       |       |
|-----|-----|------|-------|-------|
| ORL | RAT | LD50 | >2000 | mg/kg |
|-----|-----|------|-------|-------|

**Relevant hazards for substance:**

| Hazard                        | Route | Basis                 |
|-------------------------------|-------|-----------------------|
| Skin corrosion/irritation     | DRM   | Hazardous: calculated |
| Serious eye damage/irritation | OPT   | Hazardous: calculated |

### Symptoms / routes of exposure

**Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

### 12.1. Toxicity

**Hazardous ingredients:**

**SODIUM HYPOCHLORITE SOLUTION...100% CL ACTIVE**

|   |       |   |      |
|---|-------|---|------|
| - | LC100 | 1 | mg/l |
|---|-------|---|------|

### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in regulation (EC) No.648/2004 on detergents.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential.

### 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil.

[cont...]

# SAFETY DATA SHEET

2WORK THICK BLEACH

Page: 7

## 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

**Other adverse effects:** Toxic to aquatic organisms.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal of packaging:** Dispose of as normal industrial waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

### 14.1. UN number

**UN number:** UN1760

### 14.2. UN proper shipping name

**Shipping name:** CORROSIVE LIQUID, N.O.S.  
(SODIUM HYPOCHLORITE SOLUTION...5 % CL ACTIVE)

### 14.3. Transport hazard class(es)

**Transport class:** 8

### 14.4. Packing group

**Packing group:** III

### 14.5. Environmental hazards

**Environmentally hazardous:** Yes

**Marine pollutant:** Yes

### 14.6. Special precautions for user

**Special precautions:** No special precautions.

**Tunnel code:** E

**Transport category:** 3

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

[cont...]

## SAFETY DATA SHEET

2WORK THICK BLEACH

Page: 8

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** EUH031: Contact with acids liberates toxic gas.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H400: Very toxic to aquatic life.

H412: Harmful to aquatic life with long lasting effects.

**Legend to abbreviations:** PNEC = predicted no effect concentration

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

OPT = optical

INH = inhalation

PCP = physico-chemical properties

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.